

CODE: BO-D7FEC0357-WL





SMALL (S)

CODE: BO-D7FFC0558-WL



MEDIUM (M)



CODE:

BO-1ED7EBC0557-WL

LIGHT SOURCE:

3 × 2W

SELECTED DEGREE:

75° × 65°

INPUT VOLTAGE:

110-277V

OPERATING CURRENT:

40 mA

CONSUMPTION:

8.4W

LUMINANCE:

378 lm

IK:

03

CODE:

BO-1ED7FBC0857-WL

LIGHT SOURCE:

5 × 3W

SELECTED DEGREE:

75° × 65°

INPUT VOLTAGE:

110-277V

OPERATING CURRENT:

70 mA

CONSUMPTION:

15.5W

LUMINANCE:

850 lm

IK:

03



sales@gordonbullarda.com

www.bullardoutdoor.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA

LIGHTING INFORMATION

HOUSING	12# Die-casting aluminum finishing or powder painting T=60-80µm. Adhesion of ISO class 1/ASTM class 4B
GLASS	Tempered glass. T=3mm
GASKET	Constant Voltage Input, Constant Current Output
LED DRIVER	NICHIA SMD3535
OPERATING TEMPERATURE	-20°C-40°C
POWER CABLE	Outside of luminaire 110-277V: H05RN-F 3×1.0mm ² , L=0.3m
DIMMING SUPPORT	Triac PWM Available 1-10V Dali Customized

REGULAR PAINTING COLOR

 Dark Grey KAP 7037	 Silver Grey KAP 9022	 Sanded Black RAL 9005
---	---	--

DIAGRAM OF INSTRUCTION





DIAGRAM OF INSTRUCTION





BO-D7FEC0358-WL

BO-D7FFC0558-WL

PHOTOMETRIC

12m	118.76 LUX
11m	
10m	29.69 LUX
9m	
8m	13.20 LUX
7m	
6m	7.42 LUX
5m	
4m	4.75 LUX
3m	
2m	3.30 LUX
1m	
0	



D7FEC0558(S-3W-75°x65°)



Lux distance cure

Illuminance at a distance			
Center beam LUX	Beam width H	Beam width V	
2m	118.76 LUX	2.9m	2.5m
4m	29.69 LUX	5.8m	5.0m
6m	13.20 LUX	8.7m	7.4m
8m	7.42 LUX	11.6m	9.9m
10m	4.75 LUX	14.5m	12.4m
12m	3.30 LUX	17.4m	14.9m

Ver.Spread:71.8 Horiz.Spread:64.8



Lux distance cure

Illuminance at a distance			
Center beam LUX	Beam width H	Beam width V	
2m	118.76 LUX	2.9m	2.5m
4m	29.69 LUX	5.8m	5.0m
6m	13.20 LUX	8.7m	7.4m
8m	7.42 LUX	11.6m	9.9m
10m	4.75 LUX	14.5m	12.4m
12m	3.30 LUX	17.4m	14.9m

Ver.Spread:71.8 Horiz.Spread:64.8

sales@gordonbullarda.com
www.bullardoutdoor.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA

CORE COLLECTION

CODE: BO-D7FEC0357-WL



SMALL (S)

CODE: BO-D7FFC0558-WL



MEDIUM (M)

HOW TO ORDER:

CODE:

EXAMPLE:

BO-D7FEC0357-WL-BKAP 7037




BO-D7FEC0357
7-WL-BKAP 7037

1. CHOOSE FIXTURE SIZE:

BO-D7FEC0357-WL

BO-D7FFC0558-WL

2. BODY FINISH OPTIONS:

-  **-BKAP 7037** Dark Grey
-  **-RAL 9023** Silver Grey
-  **-RAL 9005** Sanded Black

sales@gordonbullarda.com

www.bullardoutdoor.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA