



CODE: BO-D8AM2840-CL



Ø: 4.7" (12 cm)



Ø: 4.7" (12 cm)



2.3"
(6 cm)

LIGHT SOURCE:

28 × 0.25W

INPUT VOLTAGE:

110-277V

OPERATING CURRENT:

37 mA

CONSUMPTION:

8.8W


LUMINANCE:

550 lm


IK:

08


CODE: BO-D8BM3034-CL



Ø: 6.3" (16 cm)



Ø: 6.3" (16 cm)



2.9"
(7.5 cm)

LIGHT SOURCE:

30 × 0.5W

INPUT VOLTAGE:

110-277V

OPERATING CURRENT:

61 mA

CONSUMPTION:

15W

LUMINANCE:

770 lm

IK:

09

FINISH OPTIONS

Basic

Dark Grey
KAP 7037

Secondary

Sanded Black
RAL 9005

Sanded White
RAL 9003

HOUSING MATERIAL

Extruded aluminum alloy #6063

PAINTING

Powder coating, T= 60~80 µm. Adhesion of ISO class 1 / ASTM class 4B

REFLECTOR

OPTICS reflector. efficiency≥85%

LED

EDISON

CRI

90

CCT

3000K / 3500K / 4000K / 5000K / Custom on request

POWER CABLE

Outside of luminaire
H05RN-F 3×1.0mm², L=0.3m(110-277V)

OPERATING TEMPERATURE

-20 °C~40 °C

sales@gordonbullarda.com

www.bullardoutdoor.com

1-877-964-4646






991 South Gull Lake Dr

Richland, MI 49083




USA

PHOTOMETRIC



Lux distance cure

Illuminance at a distance			
Center beam LUX		Beam width	
		V	H
2m	58.17 LUX	5.6m	5.7m
4m	14.54 LUX	11.2m	11.4m
6m	6.46 LUX	16.9m	17.1m
8m	3.64 LUX	22.5m	22.8m
10m	2.33 LUX	28.1m	28.5m
12m	1.62 LUX	33.7m	34.2m
Ver.Spread:109.2		Horiz.Spread:110.0	



Lux distance cure

Illuminance at a distance			
Center beam LUX		Beam width	
		V	H
2m	108.25 LUX	4.1m	4.2m
4m	27.06 LUX	8.2m	8.3m
6m	12.03 LUX	12.2m	12.5m
8m	6.77 LUX	16.3m	16.7m
10m	4.33 LUX	20.4m	20.8m
12m	3.01 LUX	24.5m	25.0m
Ver.Spread:91.2		Horiz.Spread:92.4	

KAUS

CODE: BO-D8AM2840-CL



SMALL (S)

CODE: BO-D8BM3034-CL



MEDIUM (M)

HOW TO ORDER:

CODE:

EXAMPLE:

BO-D8AM2840-CL-K30-KAP7037-Mh074

BO-D8AM2840-CL

1. CHOOSE FIXTURE SIZE:

BO-D8AM2840-CL SMALL

BO-D8BM3034-CL MEDIUM

2. CHOOSE CCT

-K30 3000K

-K35 3500K

-K40 4000K

-K50 5000K

-CUS* Custom on request

3. BODY FINISH OPTIONS:

-KAP 7037 Dark Grey

-KAP 9022 Silver Grey

-RAL 9005 Sanded Black

4. HONEY COMB LOUVER

-Mh074



-Mh072



-Mh066

