



CODE: BO-2ED7GBC1056-WL





SMALL (S)

CODE: BO-2ED7HBC1856-WL



MEDIUM (M)



CODE:

BO-2ED7GBC1056-WL

LIGHT SOURCE:

10×1W

SELECTED DEGREE:

92° × 75°

INPUT VOLTAGE:

110-277V

OPERATING CURRENT:

56 mA

CONSUMPTION:

12W

LUMINANCE:

2 × 792 lm

IK:

03

CODE:

BO-2ED7HBC1856-WL

LIGHT SOURCE:

18×1W

SELECTED DEGREE:

92° × 75°

INPUT VOLTAGE:

110-277V

OPERATING CURRENT:

97 mA

CONSUMPTION:

21W

LUMINANCE:

2 × 836 lm

IK:

04

LIGHTING INFORMATION

HOUSING	12# Die-casting aluminum finishing or powder painting T=60-80µm. Adhesion of ISO class 1/ASTM class 4B
GLASS	T=3mm
GASKET	Tooling shaped seal
LED	OSRAM
DRIVER	Driver inside builded
OPERATING TEMPERATURE	-20°C-40°C
POWER CABLE	Outside of luminaire 110-277V: H05RN-F 3×1.0mm², L=0.3m
DIMMING SUPPORT	Triac PWM Available 1-10V Dali Customized

REGULAR PAINTING COLOR

Basic


Dark Grey
KAP 7037

Secondary

Silver Grey
KAP 9022

Sanded Black
RAL 9005


DIAGRAM OF INSTRUCTION



BEAM DEMO






BO-2ED7GBC1056-WL






BO-2ED7HBC1856-WL

PHOTOMETRIC



Lux distance Curve

Illuminance at a Distance		Beam Width	
Center Beam LUX	V	H	
2m	42.34 LUX	4.2m	3.1m
4m	10.58 LUX	8.3m	6.1m
6m	4.70 LUX	12.5m	9.2m
8m	2.65 LUX	16.4m	12.2m
10m	1.69 LUX	20.8m	15.3m
12m	1.18 LUX	25.0m	18.3m
Vert. Spread: 92.3		Horiz. Spread: 74.7	



Lux distance Curve

Illuminance at a Distance		Beam Width	
Center Beam LUX	V	H	
2m	69.08 LUX	4.1m	3.1m
4m	17.27 LUX	8.2m	6.2m
6m	7.68 LUX	12.3m	9.3m
8m	4.32 LUX	16.3m	12.4m
10m	2.76 LUX	20.4m	15.5m
12m	1.92 LUX	24.5m	18.6m
Vert. Spread: 91.3		Horiz. Spread: 75.6	

sales@gordonbullarda.com

www.bullardoutdoor.com

1-877-964-4646




991 South Gull Lake Dr

Richland, MI 49083


USA

ACRUZ COLLECTION (two side)

CODE: BO-2ED7GBC1056-WL



CODE: BO-2ED7HBC1856-WL



HOW TO ORDER:

CODE:

EXAMPLE:

BO-2ED7GBC1056-WL-BKAP7037

BO-B6JD0656-
WL-BKAP
7037-6004#

1. CHOOSE FIXTURE SIZE:

BO-2ED7GBC1056-WL

BO-2ED7HBC1856-WL

2. BODY FINISH OPTIONS:



-BKAP 7037

Dark Grey



-RAL 9023

Silver Grey



-RAL 9005

Sanded Black

sales@gordonbullarda.com

www.bullardoutdoor.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA