




CODE: BO-D1KT3032-WL



Ø: 6.3" (16 cm)

2" (5 cm)



LIGHT SOURCE:

30 × 0.07W

INPUT VOLTAGE:

110-277V

OPERATING CURRENT:

14 mA

CONSUMPTION:

3.2W


LUMINANCE:

118 lm

IK:



09

CODE: BO-D1KU3032-WL



Ø: 6.3" (16 cm)

2" (5 cm)



LIGHT SOURCE:

30 × 0.07W

INPUT VOLTAGE:

110-277V

OPERATING CURRENT:

14 mA

CONSUMPTION:

3.2W


LUMINANCE:

92 lm

IK:



09

CODE: BO-D1KW3032-WL



Ø: 6.3" (16 cm)

2" (5 cm)



LIGHT SOURCE:

30 × 0.07W

INPUT VOLTAGE:

110-277V

OPERATING CURRENT:

14 mA

CONSUMPTION:

3.2W

LUMINANCE:

142 lm

IK:

09

sales@gordonbullarda.com

www.bullardoutdoor.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA

LIGHTING INFORMATION

HOUSING	12# Die-casting dark grey powder coated aluminum T=60-80μm. Adhesion of ISO class 1/ASTM class 4B
LIGHT WINDOW	UVstop & Fireproof PC T=1mm
CABLE GLAND	IP66
GASKET	Tooling shaped seal
RECESSED SLEEVE	PC/ABS ALLOYS 148#
LED DRIVER	Constant Voltage Input, Constant Current Output
OPERATING TEMPERATURE	-20°C~40°C
POWER CABLE	Outside of luminaire AC power: H05RN-F 3×1.0mm², L=0.3m 110-277V
DIMMING SUPPORT	Triac PWM Available 1-10V Dali Customized

REGULAR PAINTING COLOR

Basic	Secondary	
 Dark Grey KAP 7037	 Silver Grey KAP 9022	 Sanded Black RAL 9005

RECESSED SLEEVE (Included)





DIAGRAM OF INSTRUCTION



FEATURES



- Front cover without screws



- Use the high-strength clips for installation and ixation.(please refer remark ① & ②)

sales@gordonbullarda.com

www.bullardoutdoor.com

1-877-964-4646










991 South Gull Lake Dr

Richland, MI 49083

USA

PHOTOMETRIC



sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA

GLOW COLLECTION

HOW TO ORDER:

CODE:

EXAMPLE:

BO-D1KT3032-WL-BKAP 7037

BO-D1KT3032-
WL-BKAP 7037

1.CHOOSE FIXTURE SIZE:

BO-D1KT3032-WL

BO-D1KU3032-WL

BO-D1KW3032-WL

2.BODY FINISH OPTIONS:



-BKAP 7037

Dark Grey



-RAL 9023


Silver Grey




-RAL 9005

Sanded Black


CODE: BO-D1KT3032-WL



CODE: BO-D1KU3032-WL



CODE: BO-D1KW3032-WL



sales@gordonbullarda.com

www.bullardoutdoor.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all sheet sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

© Bullard & Company 2023 All Rights Reserved

Updated 28/02/24

01/20/24