




CODE: BO-D1KT3032-WL



Ø: 6.3" (16 cm)

2" (5 cm)



LIGHT SOURCE:

30 × 0.07W

INPUT VOLTAGE:

110-277V

OPERATING CURRENT:

14 mA

CONSUMPTION:

3.2W


LUMINANCE:

118 lm

IK:



09

CODE: BO-D1KU3032-WL



Ø: 6.3" (16 cm)

2" (5 cm)



LIGHT SOURCE:

30 × 0.07W

INPUT VOLTAGE:

110-277V

OPERATING CURRENT:

14 mA

CONSUMPTION:

3.2W


LUMINANCE:

92 lm

IK:



09

CODE: BO-D1KW3032-WL



Ø: 6.3" (16 cm)

2" (5 cm)



LIGHT SOURCE:

30 × 0.07W

INPUT VOLTAGE:

110-277V

OPERATING CURRENT:

14 mA

CONSUMPTION:

3.2W

LUMINANCE:

142 lm

IK:

09

sales@gordonbullarda.com

www.bullardoutdoor.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA

LIGHTING INFORMATION

HOUSING	12# Die-casting dark grey powder coated aluminum T=60-80μm. Adhesion of ISO class 1/ASTM class 4B
LIGHT WINDOW	UVstop & Fireproof PC T=1mm
CABLE GLAND	IP66
GASKET	Tooling shaped seal
RECESSED SLEEVE	PC/ABS ALLOYS 148#
LED DRIVER	Constant Voltage Input, Constant Current Output
CCT	3000K / 3500K / 4000K / 5000K / Custom on request
CRI	90
OPERATING TEMPERATURE	-20°C~40°C
POWER CABLE	Outside of luminaire AC power: H05RN-F 3×1.0mm², L=0.3m 110-277V
DIMMING SUPPORT	Triac PWM Available, 1-10V, Dali, Customized

REGULAR PAINTING COLOR

Basic

Dark Grey
KAP 7037

Secondary

Silver Grey
KAP 9022

Sanded Black
RAL 9005

RECESSED SLEEVE (Included)





DIAGRAM OF INSTRUCTION



FEATURES



- Front cover without screws



- Use the high-strength clips for installation and fixation. (please refer remark ① & ②)

sales@gordonbullard.com

www.bullardoutdoor.com

1-877-964-4646













991 South Gull Lake Dr

Richland, MI 49083

USA

PHOTOMETRIC



sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646




991 South Gull Lake Dr
Richland, MI 49083
USA

GLOW COLLECTION

HOW TO ORDER:

CODE:

CODE: BO-D1KT3032-WL



EXAMPLE:

BO-D1KT3032-WL-RAL9023-K50-148#

BO-D1KT3032-
WL-RAL 9023-
K50-148#

1.CHOOSE FIXTURE MODEL:

BO-D1KT3032-WL

BO-D1KU3032-WL

BO-D1KW3032-WL

2.BODY FINISH OPTIONS:

-BKAP 7037



Dark Grey

-RAL 9023



Silver Grey

-RAL 9005



Sanded Black

3.CHOOSE CCT

-K30

3000K

-K35

3500K

-K40

4000K

-K50

5000K

-CUS*


Custom on request

4. RECESSED SLEEVE (Included)


-148#



CODE: BO-D1KU3032-WL



CODE: BO-D1KW3032-WL



sales@gordonbullarda.com

www.bullardoutdoor.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA