




CODE: BO-R7VE0126-WL



SMALL (S)



LIGHT SOURCE:

1×6W COB NICHIA

REFLECTOR:

R7

SELECTED DEGREE:

24°

INPUT VOLTAGE:

110-277V

OPERATION CURRENT:

36 mA

CONSUMPTION:

6.9 W

LUMINANCE:

510 lm

CRI:

90


IK:

04

CODE: BO-R7WE0170-WL



MEDIUM (M)



LIGHT SOURCE:

1×18W COB NICHIA

REFLECTOR:

R17

SELECTED DEGREE:

18°

INPUT VOLTAGE:

110-277V

OPERATION CURRENT:

90 mA

CONSUMPTION:

20 W

LUMINANCE:

1840 lm

CRI:

90

IK:

05



sales@gordonbullard.com

www.bullardoutdoor.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA

LIGHTING INFORMATION

HOUSING	12# Die-casting aluminum finishing or powder painting T=60-80µm. Adhesion of ISO class 1/ASTM class 4B
LIGHT WINDOW	Tempered Glass 3mm
GASKET	Tooling shaped seal
LED DRIVER	Constant voltage input, constant current output
LED	NICHIA
CCT	3000K / 3500K / 4000K / 5000K / Custom on request*
OPERATING TEMPERATURE	-20°C-40°C
POWER CABLE	Outside of luminaire 110-277V: H05RN-F 3×1.0mm², L=0.3m

REGULAR PAINTING COLOR


Basic	Secondary
 Dark Grey KAP 7037	 Silver Grey KAP 9022
	 Sanded Black RAL 9005

OPTICS


Referenced Degree(°)θ1/2

	R7	18°	24°	32°
	R17	12°	18°	32°

DIAGRAM OF INSTRUCTION



FEATURES



BEAM DEMO



sales@gordonbullard.com

www.bullardoutdoor.com

1-877-964-4646





991 South Gull Lake Dr

Richland, MI 49083

USA



PHOTOMETRIC



Lux distance curve

	Illuminance at a distance		Beam width	
	Center beam LUX	H	V	H
2m	463.34 LUX	0.8m	0.8m	
4m	115.84 LUX	1.6m	1.6m	
6m	51.48 LUX	2.3m	2.4m	
8m	28.96 LUX	3.1m	3.2m	
10m	18.53 LUX	3.9m	4.0m	
12m	12.87 LUX	4.7m	4.8m	

Vert.Spread:22.4 Horiz.Spread:22.1



Lux distance curve

	Illuminance at a distance		Beam width	
	Center beam LUX	H	V	H
2m	2225.16 LUX	0.7m	0.7m	
4m	554.29 LUX	1.4m	1.4m	
6m	247.24 LUX	2.1m	2.1m	
8m	139.07 LUX	2.9m	2.8m	
10m	89.01 LUX	3.6m	3.5m	
12m	61.81 LUX	4.3m	4.2m	

Vert.Spread:19.7 Horiz.Spread:20.3

sales@gordonbullard.com
www.bullardoutdoor.com



991 South Gull Lake Dr
Richland, MI 49083

1-877-964-4646 C LISTED US USA

HOW TO ORDER:

CODE:

CODE: BO-R7VE0126-WL



SMALL (S)

CODE: BO-R7WE0170-WL



MEDIUM (M)

EXAMPLE:

BO-R7VE0126-WL-K30-KAP7037




1. CHOOSE FIXTURE SIZE:

BO-R7VE0126-WL SMALL
BO-R7WE0170-WL MEDIUM

2. CHOOSE CCT:

K30 - 3000K
K35 - 3500K
K40 - 4000K
K50 - 5000K
CUS* - Custom on request

3. BODY FINISH OPTIONS:

 -KAP 7037 Dark Grey
 -KAP 9022 Silver Grey
 -RAL 9005 Sanded Black

sales@gordonbullard.com

www.bullardoutdoor.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA