




CODE: BO-R7VF0225-WL



SMALL (S)



LIGHT SOURCE:

2×5W NICHIA

REFLECTOR:

R7

SELECTED DEGREE:

24°

INPUT VOLTAGE:

110-277V

OPERATION CURRENT:

68 mA

CONSUMPTION:

15 W

LUMINANCE:

2×480 lm

CRI:

90


IK:

04

CODE: BO-R7WF0229-WL



MEDIUM (M)



LIGHT SOURCE:

2×12W NICHIA

REFLECTOR:

R17

SELECTED DEGREE:

18°

INPUT VOLTAGE:

110-277V

OPERATION CURRENT:

116 mA

CONSUMPTION:

26 W

LUMINANCE:

2×1204 lm

CRI:

90

IK:

05



sales@gordonbullard.com

www.bullardoutdoor.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA

LIGHTING INFORMATION

HOUSING	12# Die-casting aluminum finishing or powder painting T=60-80μm. Adhesion of ISO class 1/ASTM class 4B
LIGHT WINDOW	Tempered Glass 3mm
GASKET	Tooling shaped seal
LED DRIVER	Constant voltage input, constant current output
LED	NICHIA
CCT	3000K / 3500K / 4000K / 5000K / Custom on request*
OPERATING TEMPERATURE	-20°C-40°C
POWER CABLE	Outside of luminaire 110-277V: H05RN-F 3×1.0mm², L=0.3m

REGULAR PAINTING COLOR


Basic	Secondary
 Dark Grey KAP 7037	 Silver Grey KAP 9022
	 Sanded Black RAL 9005

OPTICS


Referenced Degree(°)θ1/2

		18°	24°	32°
	R7			
	R17			


DIAGRAM OF INSTRUCTION



FEATURES



BEAM DEMO



sales@gordonbullard.com

www.bullardoutdoor.com

1-877-964-4646






991 South Gull Lake Dr

Richland, MI 49083

USA





PHOTOMETRIC



Lux distance cure

Illuminance at a distance			
Center beam LUX		Beam width V H	
2m	375.64 LUX	0.8m	0.8m
4m	93.91 LUX	1.6m	1.6m
6m	41.74 LUX	2.4m	2.4m
8m	23.48 LUX	3.2m	3.2m
10m	15.03 LUX	4.0m	4.0m
12m	10.43 LUX	4.8m	4.8m
Ver.Spread:22.5		Horiz.Spread:22.7	



Lux distance cure

Illuminance at a distance			
Center beam LUX		Beam width V H	
2m	2107.59 LUX	0.6m	0.6m
4m	526.90 LUX	1.2m	1.2m
6m	234.18 LUX	1.9m	1.8m
8m	131.72 LUX	2.5m	2.3m
10m	84.30 LUX	3.1m	2.9m
12m	58.54 LUX	3.7m	3.5m
Ver.Spread:16.7		Horiz.Spread:17.6	

sales@gordonbullard.com

www.bullardoutdoor.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA

GROCK COLLECTION

HOW TO ORDER:

CODE:

CODE: BO-R7VF0225-WL



SMALL (S)

CODE: BO-R7WF0229-WL



MEDIUM (M)

EXAMPLE:

BO-R7VF0225-WL-K30-KAP7037

1. CHOOSE FIXTURE SIZE:

BO-R7VF0225-WL

BO-R7VF0225-WL SMALL
BO-R7WF0229-WL MEDIUM

2. CHOOSE CCT:

K30 - 3000K
K35 - 3500K
K40 - 4000K
K50 - 5000K
CUS* - Custom on request

3. BODY FINISH OPTIONS:



-KAP 7037 Dark Grey



-KAP 9022 Silver Grey



-RAL 9005 Sanded Black

sales@gordonbullard.com

www.bullardoutdoor.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA