




CODE: BO-B1XQ0156-WL



SMALL (S)


Ø: 1.65" (4.2 cm)

1.7" (4.4 cm)



1.5"
(3.8 cm)



CODE: BO-B1XT0157-WL



MEDIUM (M)


Ø: 2.36 (6 cm)

2" (5.3 cm)



1.7"
(4.4 cm)



CODE: BO-R1XU0125-WL



LARGE (M)

Ø: 2.75" (7 cm)

4.3" (11 cm)



2"
(5.2 cm)

LIGHT SOURCE:

1 × 1W NICHIA

LENS:

B44

LIGHT SOURCE:

40°

INPUT VOLTAGE:

110-277V

OPERATING CURRENT:

54 mA

CONSUMPTION:

1.3W

LUMINANCE:

CW=28 | WW=23

IK:

10

LIGHT SOURCE:

1 × 2W NICHIA

LENS:

B34D

LIGHT SOURCE:

22°

INPUT VOLTAGE:

110-277V

OPERATING CURRENT:

108 mA

CONSUMPTION:

2.6W

LUMINANCE:

CW=60 | WW=51

IK:

10

LIGHT SOURCE:

1 × 5W NICHIA

LENS:

R7

LIGHT SOURCE:

24°

INPUT VOLTAGE:

110-277V

OPERATING CURRENT:

32 mA

CONSUMPTION:

6W

LUMINANCE:

CW=237 | WW=208

IK:

10

LIGHTING INFORMATION

FRONT COVER & HOUSING 12# Die-casting dark grey powder coated aluminum
T=60-80µm. Adhesion of ISO class 1/ASTM class 4B

LIGHT WINDOW **BO-B1XQ0156-WL:**
Step tempered clear glass.T=4mm
BO-B1XT0157, BO-R1XU0125-WL:
Step tempered clear glass.T=8mm

LOADING CAPACITY 4400lbs (2000kg)

CABLE GLAND IP67 copper and nicked coated

GASKET Molding shaped silicone seal

RECESSED SLEEVE **BO-B1XQ0156-WL:** PC/ABS ALLOYS 182#
BO-B1XT0157-WL: PC/ABS ALLOYS 185#
BO-R1XU0125-WL: PC/ABS ALLOYS 184#

LED DRIVER Constant Voltage Input, Constant Current Output

OPERATING TEMPERATURE -20°C~40°C

POWER CABLE Outside of luminaire
H05RN-F 3×1.0mm², L=0.5m 110-277V

DIMMING SUPPORT Triac PWM Available
1-10V Dali Customized

REGULAR PAINTING COLOR

Basic Dark Grey KAP 7037

Secondary Silver Grey KAP 9022

Sanded Black RAL 9005


OPTICS

	R7	18°	24°	32°
	B44	20°		
	B34D	30°		

RECESSED SLEEVE (Included)



PHOTOMETRIC



sales@gordonbullard.com
www.bullardoutdoor.com




991 South Gull Lake Dr
Richland, MI 49083
USA


1-877-964-4646 C LISTED US

LUMEXTRA COLLECTION


CODE: BO-B1XQ0156-WL



CODE: BO-B1XT0157-WL



CODE: BO-R1XU0125-WL



HOW TO ORDER:

CODE:

EXAMPLE:

BO-B1XQ0156-WL-BKAP 7037

BO-B1XQ0156-
WL-BKAP 7037

1. CHOOSE FIXTURE SIZE:

BO-B1XQ0156-WL

BO-B1XT0157-WL

BO-R1XU0125-WL

2. BODY FINISH OPTIONS:



-BKAP 7037

Dark Grey



-RAL 9023

Silver Grey



-RAL 9005

Sanded Black

sales@gordonbullarda.com

www.bullardoutdoor.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA