



CODE: BO-B1TR0157-WL



SMALL (S)

Ø: 3.15" (8 cm)

2.75" (7 cm)



LIGHT SOURCE:

1 × 2W OSRAM

LENS:

B91

SELECTED DEGREE:

50°

INPUT VOLTAGE:

110-277V

OPERATING CURRENT:

28 mA

CONSUMPTION:

3.3W

LUMINANCE:

CW=195 | WW=186

IK:

10



CODE: BO-B1AAR0102-WL



MEDIUM (M)

Ø: 2.15" (5.5 cm)

2.55" (6.5 cm)



LIGHT SOURCE:

1 × 1W OSRAM

LENS:

B60

SELECTED DEGREE:

50°

INPUT VOLTAGE:

110-277V

OPERATING CURRENT:

100 mA

CONSUMPTION:

2.4W

LUMINANCE:

CW=58 | WW=52

IK:

10

LIGHTING INFORMATION

FRONT COVER	Molding shaped stainless-steel SUS 316
HOUSING	12# Die-casting RAL9005 powder coated aluminum
GASKET	Molding shaped silicone seal
RECESSED SLEEVE	PC/ABS ALLOYS
LED DRIVER	Constant Voltage Input, Constant Current Output
OPERATING TEMPERATURE	-20°C~40°C
POWER CABLE	Outside of luminaire H05RN-F 3×1.0mm², L=0.3m (110-277)
IP	IP65
DIMMING SUPPORT	Triac PWM Available 1-10V Dali Customized

REGULAR PAINTING COLOR

Basic

Dark Grey
KAP 7037

Secondary

Silver Grey
KAP 9022

Sanded Black
RAL 9005

RECESSED SLEEVE (Included)







DIAGRAM OF INSTRUCTION



FEATURES



- Front cover without screws
- Use the high-strength clips for installation and ixation.(please refer remark)



sales@gordonbullarda.com
www.bullardoutdoor.com



991 South Gull Lake Dr
Richland, MI 49083
USA




1-877-964-4646

PHOTOMETRIC



Lux distance cure

Illuminance at a distance			
Center beam LUX	Beam width V	H	
2m 2.23 LUX	1.1m	1.4m	
4m 0.56 LUX	2.1m	2.8m	
6m 0.25 LUX	3.2m	4.2m	
8m 0.14 LUX	4.2m	5.6m	
10m 0.09 LUX	5.3m	7.0m	
12m 0.06 LUX	6.3m	8.3m	
Ver.Spread:29.6		Horiz.Spread:38.4	



Lux distance cure

Illuminance at a distance			
Center beam LUX	Beam width V	H	
2m 6.20 LUX	1.6m	2.00m	
4m 1.55 LUX	3.2m	4.10m	
6m 0.69 LUX	4.8m	6.10m	
8m 0.39 LUX	6.4m	8.10m	
10m 0.24 LUX	8.0m	10.1m	
12m 0.17 LUX	9.6m	12.2m	
Ver.Spread:43.7		Horiz.Spread:53.8	

sales@gordonbullarda.com
www.bullardoutdoor.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA

CODE: BO-B1TR0157-WL



MEDIUM (M)

CODE: BO-B1AAR0102-WL



SMALL (S)

HOW TO ORDER:

CODE:

EXAMPLE:

BO-B1TR0157-WL

BO-B1TR0157-WL

1. CHOOSE FIXTURE SIZE:

BO-B1TR0157-WL

BO-B1AAR0102-WL

2. BODY FINISH OPTIONS:



-BKAP 7037

Dark Grey



-RAL 9023

Silver Grey



-RAL 9005

Sanded Black

sales@gordonbullarda.com

www.bullardoutdoor.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA