

CODE: BO-D7AB0237-WL

BEAM DOWN




3.9" (10 cm)

3.5" (9 cm)



5.1"
(13 cm)

3.9" (10 cm)



3.5" (9 cm)


CODE: BO-D7AC0237-WL

BEAM UP and DOWN




3.9" (10 cm)

3.5" (9 cm)



5.1"
(13 cm)

3.9" (10 cm)



3.5" (9 cm)

CODE:

BO-D7AB0237-WL

LIGHT SOURCE:

2 × 3W

SELECTED DEGREE:

75°

INPUT VOLTAGE:

110-277V

OPERATING CURRENT:

52 mA

CONSUMPTION:

10.5W

LUMINANCE:

2 × 210 lm

IK:

06

CODE:

BO-D7AC0237-WL

LIGHT SOURCE:

2 × 3W

SELECTED DEGREE:

up: 6° down: 75°

INPUT VOLTAGE:

110-277V

OPERATING CURRENT:

52 mA

CONSUMPTION:

10.5W

LUMINANCE:

up: 98 lm down: 195 lm

IK:

06

LIGHTING INFORMATION

HOUSING	12# Die-casting aluminum finishing or powder painting T=60-80μm. Adhesion of ISO class 1 / ASTM class 4B
LIGHT WINDOW	UVstop & Fireproof PC T=6mm
GASKET	Tooling shaped seal
DRIVER	Main voltage 110V-277V driver inside builded
OPERATING TEMPERATURE	-20°C-40°C
POWER CABLE	Outside of luminaire 110-277V: H05RN-F 3×1.0mm², L=0.3m
DIMMING SUPPORT	Triac PWM Available 1-10V Dali Customized

REGULAR PAINTING COLOR

Dark Grey
KAP 7037

Silver Grey
KAP 9022

Sanded Black
RAL 9005

DIAGRAM OF INSTRUCTION




DIAGRAM OF INSTRUCTION





BO-D7AB0237-WL



BO-D7AC0237-WL




PHOTOMETRIC



Lux distance curve

Distance (m)	Center beam LUX	Beam width V	Beam width H
2m	28.35 LUX	1.8m	3.0m
4m	7.09 LUX	3.7m	6.0m
6m	3.15 LUX	5.5m	9.0m
8m	1.77 LUX	7.4m	12.0m
10m	1.13 LUX	9.2m	15.0m
12m	0.79 LUX	11.1m	18.0m

Ver.Spread:49.5 Horiz.Spread:73.8



Lux distance curve

Distance (m)	Center beam LUX	Beam width V	Beam width H
2m	28.35 LUX	1.8m	3.0m
4m	7.09 LUX	3.7m	6.0m
6m	3.15 LUX	5.5m	9.0m
8m	1.77 LUX	7.4m	12.0m
10m	1.13 LUX	9.2m	15.0m
12m	0.79 LUX	11.1m	18.0m

Ver.Spread:49.5 Horiz.Spread:73.8

sales@gordonbullarda.com

www.bullardoutdoor.com

1-877-964-4646



991 South Gull Lake Dr


Richland, MI 49083

USA

TARF COLLECTION


CODE: BO-D7AB0237-WL

BEAM DOWN



CODE: BO-D7AC0237-WL

BEAM UP and DOWN



HOW TO ORDER:

CODE:

EXAMPLE:

BO-D7AB0237-WL-BKAP 7037

BO-D7AB0237-WL
-BKAP 7037

1. CHOOSE FIXTURE MODEL:

BO-D7AB0237-WL

BO-D7AC0237-WL

2. BODY FINISH OPTIONS:



-BKAP 7037

Dark Grey



-RAL 9023

Silver Grey



-RAL 9005

Sanded Black

sales@gordonbullarda.com

www.bullardoutdoor.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA