


CODE BO-B3DVU0127-SP



SMALL (S)



**LIGHT SOURCE:**

1x8W

**LENS:**

B71

**SELECTED DEGREE:**

24°

**INPUT VOLTAGE:**

110-277V

**OPERATION CURRENT:**

45 mA

**CONSUMPTION:**

10 W


**LUMINANCE:**

792 lm

CODE BO-B3DWU0460-SP



MEDIUM (M)



**LIGHT SOURCE:**

4x4W

**LENS:**

FB11B4

**SELECTED DEGREE:**

20°

**INPUT VOLTAGE:**

110-277V

**OPERATION CURRENT:**

78 mA

**CONSUMPTION:**

17.4 W

**LUMINANCE:**

1227 lm



sales@gordonbullard.com  
www.bullardoutdoor.com



991 South Gull Lake Dr.  
Richland, MI 49083  
USA

1-877-964-4646

<b>HOUSING</b>	1.2# Die-casting aluminium finishing or powder painting T=60-80µm. Adhesion of ISO class 1 / ASTM class 4B
<b>CRI</b>	90
<b>CCT</b>	3000K / 3500K / 4000K / 5000K / Custom on request
<b>LIGHT WINDOW</b>	Tempered glass T=4mm
<b>CABLE GLAND</b>	IP68 PG-9 PA66
<b>GASKET</b>	Tooling shaped seal
<b>BRACKET</b>	Powder coated aluminium
<b>POWER CABLE</b>	Outside of luminaire 110-277V; H05RN-F 3×1.0mm <sup>2</sup> , L=2.0m

## FINISH OPTIONS

	Dark Grey KAP 7037		Silver Grey KAP 9022		Sanded Black RAL 9005
---	-----------------------	---	-------------------------	---	--------------------------

## OPTICS

Referenced Degree[\*]@1/2

	871	15°	24°	33°	45°	60°
	FB1184	9°	15°	20°	30°	45° 60°

## ACCESSORIES

### SPIKE

PC/ABS alloys



ID	Fitted Item
188	BO-83DVU0127-SP
178	BO-83DWU0460-SP




### STAINLESS STEEL



ID	Fitted Item
128	BO-83DVU0127-SP
138	BO-83DWU0460-SP



### TREE POLE STRAP



ID	Fitted Item
RD003	BO-83DVU0127-SP
RD002	BO-83DWU0460-SP



## WATER PROOF SOLUTION



- A** **Water-Stopper (Included)**  
A IP-68 water-stopper is added in the end of luminaires as standard assembly which is also an important system for water resistance.
- B** **IP67 Jiffy quick plug/socket connector (Option)**  
A IP-67 connector is as an optional assembly and ensures that water vapor will not enter into luminaires directly.

## OVERVIEW




sales@gordonbullard.com  
www.bullardoutdoor.com



991 South Gull Lake Dr  
Richland, MI 49083  
USA

1-877-964-4646

**PHOTOMETRIC**



sales@gordonbullard.com  
www.bullardoutdoor.com  
1-877-964-4646



991 South Gull Lake Dr.  
Richland, MI 49083  
USA

# THANE COLLECTION

HOW TO ORDER:

CODE:

CODE: BO-B3DVU0127-SP



SMALL (S)

CODE: BO-B3DWU0460-SP



MEDIUM (M)

**EXAMPLE:**

BO-B3DVU0127-SP-K30-KAP7037-18B-A-B

## 1. CHOOSE FIXTURE SIZE:

BO-B3DVU0127-SP SMALL

BO-B3DWU0460-SP MEDIUM

## 2. CHOOSE CCT

K30 - 3000K

K35 - 3500K


K40 - 4000K

K50 - 5000K

CUS\* - Custom on request

## 3. BODY FINISH OPTIONS:

 -KAP 7037 Dark Grey

 -KAP 9022 Silver Grey

 -RAL 9005 Sanded Black

# THANE COLLECTION

HOW TO ORDER:

CODE:

CODE: BO-B3DVU0127-SP



SMALL (S)

CODE: BO-B3DWU0460-SP



MEDIUM (M)

**EXAMPLE:**

BO-B3DVU0127-SP-K30-KAP7037-18B-A-B

## 4. SPIKE (optional):

STAINLESS STEEL:

-12B BO-B3DVU0127-SP



-13B BO-B3DWU0460-SP



PC/ABS alloys:

-18B BO-B3DVU0127-SP



-17B BO-B3DWU0460-SP



## 5. TREE POLE STRAP:

-RD003 BO-B3DVU0127-SP



-RD002 BO-B3DWU0460-SP



# THANE COLLECTION

HOW TO ORDER:

CODE:

CODE: BO-B3DVU0127-SP



SMALL (S)

CODE: BO-B3DWU0460-SP



MEDIUM (M)


**EXAMPLE:**

BO-B3DVU0127-SP-K30-KAP7037-18B-A-B

## 6. WATER PROOF SOLUTION (included):

**-A Water-Stopper (Included)**

A IP-66 water-stopper is added in the end of luminaires as standard assembly which is also an important system for water resistance.



## 7. WATER PROOF SOLUTION (optional):

**-B IP67 Jiffy quick plug/socket connector (Option)**

A IP-67 connector is as an optional assembly and ensures that water vapor will not enter into luminaires directly.

