


CODE: BO-D1BA1517-WL



LIGHT SOURCE:

15 × 0.2W NICHIA

INPUT VOLTAGE:

110-277V

OPERATING CURRENT:

29 mA

CONSUMPTION:

5.7W



LUMINANCE:

CW=113 | WW=104

IK:

10

CODE: BO-D1BB5407-WL



LIGHT SOURCE:

54 × 0.7W NICHIA

INPUT VOLTAGE:

110-277V

OPERATING CURRENT:

30 mA

CONSUMPTION:

6.1W



LUMINANCE:

CW=47 | WW=44

IK:

10

CODE: BO-D1BC5407-WL



LIGHT SOURCE:

54 × 0.7W NICHIA

INPUT VOLTAGE:

110-277V

OPERATING CURRENT:

30 mA

CONSUMPTION:

6.1W

LUMINANCE:

CW=150 | WW=130

IK:

09

LIGHTING INFORMATION

FRONT COVER	BO-D1BA1517-WL / BO-D1BB5407-WL: 12# Die-casting aluminum BO-D1BC5407-WL: Made by hard chrome-plated stainless steel 316L#
HOUSING	12# Die-casting RAL9005 powder coated aluminum T=60-80µm. Adhesion of ISO class 1/ASTM class 4B
LIGHT WINDOW	UVstop & Fireproof PC T=1.5mm: BO-D1BA1517-WL UVstop & Fireproof PC T=3mm: BO-D1BC5407-WL, BO-D1BB5407-WL
CABLE GLAND	IP68 PG-9 PA66
GASKET	Molding shaped silicone seal
RECESSED SLEEVE	PC/ABS ALLOYS 074#
LED DRIVER	Constant Voltage Input, Constant Current Output
OPERATING TEMPERATURE	-20°C~40°C
POWER CABLE	Outside of luminaire H05RN-F 3×1.0mm², L=0.5m(120V/240V)
IP	IP65
DIMMING SUPPORT	Triac PWM Available 1-10V Dali Customized

REGULAR PAINTING COLOR


Basic



Secondary



RECESSED SLEEVE (Included)



MOUNTING SLEEVE CHARACTERISTIC



- The above picture – the supporting plate "A1" and "A2" are used for preventing deformation of the sleeve during the construction installation process.
- Please remove the supporting plate "A1" and "A2" from the mounting sleeve before the lamp installation.


sales@gordonbullard.com
www.bullardoutdoor.com



991 South Gull Lake Dr
Richland, MI 49083
USA


1-877-964-4646 C

PHOTOMETRIC




VERTA COLLECTION


CODE: BO-D1BA1517-WL



CODE: BO-D1BB5407-WL



CODE: BO-D1BC5407-WL



HOW TO ORDER:

CODE:

EXAMPLE:

BO-D1BA1517-WL-BKAP 7037

BO-D1BA1517-
WL-BKAP 7037

1. CHOOSE FIXTURE SIZE:

BO-D1BA1517-WL

BO-D1BB5407-WL

BO-D1BC5407-WL

2. BODY FINISH OPTIONS:



-BKAP 7037

Dark Grey



-RAL 9023

Silver Grey



-RAL 9005

Sanded Black

sales@gordonbullarda.com

www.bullardoutdoor.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA