



FIXTURE TYPE: _____

PROJECT NAME: _____



GENERAL INFORMATION:

The Tivor bollard by Bullard Outdoor combines modern and classic design elements for versatile lawn and landscape lighting. Standing at 31.5" (80 cm) with a sleek 3.54" (9 cm) diameter, it features a 6W LED source with a 360° beam angle, delivering efficient illumination in various color temperatures (2700K–6000K). With compatibility for smart control systems like DMX512 and RDM, and dimming options including 1-10V and non-dimmable, it offers flexible usage across outdoor environments. Built to withstand the elements, it carries an IP65 rating for durability.

FIXTURE TYPE:

Bollard

LIGHTING

LED

LED

VOLTAGE:

110-277V

110-277V

MATERIAL:

Aluminum + PMMA

IP:

IP 65

IP65

BEAM ANGLE:

360°

BUILT FOR THE STORM

sales@gordonbullard.com

www.bullardoutdoor.com

1-877-964-4646




991 South Gull Lake Dr

Richland, MI 49083

USA

FIXTURE TYPE: _____

PROJECT NAME: _____



LED

110-
277V

IP65



HOW TO ORDER:

CODE:

Example:
CODE: BO-1901-BL-K30-C80-DIM-CUS

BO-1901-BL-K30-
C80-DIM-CUS

1

DIMENSIONS:

A) Diameter - Ø: 3.54" (9 cm)
B) Height - H: 31.5" (80 cm)

2

LIGHT SOURCE:

LED / 6W / 85 lm/W

3

SPECIFY CCT:

-K27	2700K
-K30	3000K
-K40	4000K
-K50	5000K
-K60	6000K

4

CRI:

-C80	CRI 80
-C90	CRI 90

5

DIMMING OPTIONS:

-NON	Non-Dimmable
-DIM	1-10V
-DMX	DMX512
-RDM	RDM

6

FINISH OPTIONS:

-WH	White
-BL	Black
-CUS	Custom on request*

BUILT FOR THE STORM

sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA