

THE ASPEN Bollard



FIXTURE TYPE: _____

PROJECT NAME: _____



GENERAL INFORMATION:

The ASPEN Bollard by Bullard Outdoor delivers a balance of modern design and reliable performance for outdoor environments. Built from die-cast aluminum with a durable powder-coated finish, it ensures strength, stability, and long-term resistance to weather and corrosion. Its PMMA lens provides clean, consistent illumination ideal for pathways, landscapes, and architectural spaces. Operating on a universal 110–277V input, the ASPEN Bollard features LED efficiency, a CRI of 80, IP65 weatherproof protection, and IK07 impact resistance. Available in sanded bronze, dark gray, and black finishes

FIXTURE TYPE:

Bollard

LIGHTING

LED

LED

VOLTAGE:

110-277V

110-277V

MATERIAL:

Die-casting powder coated aluminum

LENS:

PMMA

CRI:

80

IP RATING:

IP 65

IP65

IK RATING:

IK 07

FINISHING:

Sanded Bronze
Sanded Dark Gray
Sanded Black

BUILT FOR THE STORM

sales@gordonbullard.com

www.bullardoutdoor.com

1-877-964-4646



991 South Gull Lake Dr


Richland, MI 49083

USA

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



LED

110-
277V



IP65

HOW TO ORDER:

CODE:

Example:
CODE: BO-ASP-KPG-BL-XXX-XXX-XXX-XXX

BO-ASP-KPG-BL-
D9EFL2434-K30-
KAP7008-DIM-IB

1

MODELS:

CODE -D9EFL2434

DIMENSIONS:

Diameter - Ø: 4.33" (11 cm)
Height - H: 11.81" (30 cm)
Base plate - Ø: 5.91" (15 cm)

CODE -D9EFM2434

DIMENSIONS:

Diameter - Ø: 4.33" (11 cm)
Height - H: 21.65" (55 cm)
Base plate - Ø: 5.91" (15 cm)

CODE -D9EFH2434

DIMENSIONS:

Diameter - Ø: 4.33" (11 cm)
Height - H: 31.5" (80 cm)
Base plate - Ø: 5.91" (15 cm)

2

LIGHT SOURCE:

LED / 6.7W / 95 mA / 79 lm / 110-277V

3

CCT OPTIONS:

-K30 3000K
-CUS Custom on request*

4

FINISH OPTIONS:

-KAP7008 Sanded Bronze
-KAP7037 Sanded Dark Gray
-RAL9005 Sanded Black

5

DIMMING OPTIONS:

-DIM 1-10V
-PWM Pulse Width Modulation
-DALI DALI (Digital Addressable Lighting Interface)

sales@gordonbullard.com

www.bullardoutdoor.com

1-877-964-4646



991 South Gull Lake Dr


Richland, MI 49083

USA

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



HOW TO ORDER:

CODE:

Example:

CODE: BO-ASP-KPG-BL-XXX-XXX-XXX-XXX-XXX

BO-ASP-KPG-BL-
D9EFL2434-K30-
KAP7008-DIM-IB


6

INSTALLATION TYPE:

- SB Screw Base (included)
- IB Inground Base (optional)
- GAB Ground Anchor Base (optional)

7

PHOTOMETRIC INFO:



LED

**110-
277V**



IP65

sales@gordonbullard.com

www.bullardoutdoor.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA