












FIXTURE TYPE:	
PROJECT NAME: _	











GENERAL INFORMATION:

The CEDRO Bollard by Bullard Outdoor combines elegant design with durable performance for modern outdoor environments. Crafted from die-cast aluminum with a high-quality powder-coated finish, it ensures resistance to corrosion and weathering while maintaining a refined appearance. Its PMMA lens delivers clear, uniform illumination powered by efficient LED technology with a CRI of 80, ideal for pathways, gardens, and architectural spaces. Operating on a 110–277V universal input, the CEDRO Bollard is IP65 weatherproof and IK07 impact resistant, ensuring reliable performance

weatherproot and IKO/ impact resistant, ensuring reliable performance in demanding conditions. Available in sanded bronze, dark gray, and black finishes

FIXTURE TYPE:

Bollard

LIGHTING

LED

VOLTAGE:

110-277V

MATERIAL:

Die-casting powder coated aluminum

LENS:

PMMA

CRI:

80

IP RATING:

IP 65

IK RATING:

IK 07

FINISHING:

Sanded Bronze Sanded Dark Gray Sanded Black

BUILT FOR THE STORM


sales@gordonbullard.com www.bullardoutdoor.com 1-877-964-4646



991 South Gull Lake Dr Richland, MI 49083 USA LED

IP65







HOW TO ORDER:

CODE:

Example:

CODE: BO-CDR-KPG-BL-XXX-XXX-XXX-XXX

BO-CDR-KPG-BL-D9EDL2434-K30-KAP7008-DIM-IB

1 MODELS:

CODE -D9EDL2434

DIMENSIONS:

Diameter - Ø: 4.33" (11 cm)

Height - H: 11.81" (30 cm)

Base plate - Ø: 5.91" (15 cm)

CODE -D9EDM2434

DIMENSIONS:

 Diameter Ø: 4.33" (11 cm)

 Height H: 21.65" (55 cm)

 Base plate Ø: 5.91" (15 cm)

CODE -D9EDH2434

DIMENSIONS:

Diameter - Ø: 4.33" (11 cm) Height - H: 31.5" (80 cm) Base plate - Ø: 5.91" (15 cm)

2 LIGHT SOURCE:

LED / 6.7W / 95 mA / 264 lm / 110-277V

3 CCT OPTIONS:

-K30 3000K

-CUS Custom on request*

4 FINISH OPTIONS:

-KAP7008 Sanded Bronze -KAP7037 Sanded Dark Gray -RAL9005 Sanded Black

5 DIMMING OPTIONS:

USA

-DIM 1-10V

-PWM Pulse Width Modulation

-DALI DALI (Digital Addressable Lighting Interface)


sales@gordonbullard.com www.bullardoutdoor.com 1-877-964-4646



991 South Gull Lake Dr Richland, MI 49083



NOTES:				
--------	--	--	--	--



HOW TO ORDER:


Example:
CODE: BO-CDR-KPG-BL-XXX-XXX-XXX-XXX

BO-CDR-KPG-BL-D9EDL2434-K30-KAP7008-DIM-IB

6 INSTALLATION TYPE:

-SB Screw Base (included)
 -IB Inground Base (optional)
 -GAB Ground Anchor Base (optional)

7 PHOTOMATRIC INFO:



sales@gordonbullard.com www.bullardoutdoor.com



1-877-964-4646

991 South Gull Lake Dr Richland, MI 49083 USA