



FIXTURE TYPE: _____

PROJECT NAME: _____



GENERAL INFORMATION:

The JUNIPER Bollard by Bullard Outdoor showcases a sophisticated modern design paired with robust outdoor performance. Crafted from die-cast aluminum with a high-durability powder-coated finish, it ensures exceptional resistance to corrosion and weather conditions. Its PMMA lens provides elegant, glare-free illumination, making it ideal for pathways, gardens, and architectural spaces. Operating on a universal 110–277V input, the JUNIPER Bollard delivers efficient LED lighting with a CRI of 80, and features IP65 weatherproof and IK07 impact-resistant protection. Available in sanded bronze, dark gray, and black finishes.

FIXTURE TYPE:

Bollard

LIGHTING

LED

LED

VOLTAGE:

110-277V



MATERIAL:

Die-casting powder coated aluminum

LENS:

PMMA

CRI:

80

IP RATING:

IP 65

IP65

IK RATING:

IK 07

FINISHING:

Sanded Bronze
Sanded Dark Gray
Sanded Black

BUILT FOR THE STORM

sales@gordonbullard.com

www.bullardoutdoor.com

1-877-964-4646



991 South Gull Lake Dr


Richland, MI 49083

USA

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



LED

110-
277V



IP65

HOW TO ORDER:

CODE:

Example:
CODE: BO-JNP-KPG-BL-XXX-XXX-XXX-XXX

BO-JNP-KPG-BL-
D9AFL1234-K30-
KAP7008-DIM-IB

1

MODELS:

CODE -D9AFL2434

DIMENSIONS:

Diameter - Ø: 4.33" (11 cm)
Height - H: 11.81" (30 cm)
Base plate - Ø: 5.91" (15 cm)

CODE -D9AFM2434

DIMENSIONS:

Diameter - Ø: 4.33" (11 cm)
Height - H: 21.65" (55 cm)
Base plate - Ø: 5.91" (15 cm)

CODE -D9AFH2434

DIMENSIONS:

Diameter - Ø: 4.33" (11 cm)
Height - H: 31.5" (80 cm)
Base plate - Ø: 5.91" (15 cm)

2

LIGHT SOURCE:

LED / 7W / 60 mA / 214 lm / 110-277V

3

CCT OPTIONS:

-K30 3000K
-CUS Custom on request*

4

FINISH OPTIONS:

-KAP7008 Sanded Bronze
-KAP7037 Sanded Dark Gray
-RAL9005 Sanded Black

5

DIMMING OPTIONS:

-DIM 1-10V
-PWM Pulse Width Modulation
-DALI DALI (Digital Addressable Lighting Interface)

sales@gordonbullard.com

www.bullardoutdoor.com

1-877-964-4646



991 South Gull Lake Dr


Richland, MI 49083

USA

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



HOW TO ORDER:

CODE:

Example:

CODE: BO-JNP-KPG-BL-XXX-XXX-XXX-XXX-XXX

BO-JNP-KPG-BL-
D9AFL1234-K30-
KAP7008-DIM-IB


6

INSTALLATION TYPE:

- SB Screw Base (included)
- IB Inground Base (optional)
- GAB Ground Anchor Base (optional)

7

PHOTOMETRIC INFO:



LED

**110-
277V**



IP65

sales@gordonbullard.com

www.bullardoutdoor.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA