








FIXTURE TYPE: _	
PROJECT NAME:	











## **GENERAL INFORMATION:**

The LILAS Bollard by Bullard Outdoor is a refined LED lighting fixture designed for durability and contemporary outdoor aesthetics. Crafted from die-cast aluminum with a powder-coated finish, it ensures long-lasting performance and corrosion resistance. Its precision-engineered PMMA diffuser provides smooth, directed illumination ideal for pathways, landscapes, and architectural exteriors. With a universal 110–277V input, IP65 weather protection, IK07 impact resistance, and a CRI of 80, the LILAS Bollard delivers both performance and elegance. Available in sanded bronze, dark gray, or black.

# **FIXTURE TYPE:** Bollard LIGHTING LED **VOLTAGE:** 110-277V **MATERIAL:** Die-casting powder coated aluminum LENS: **PMMA** CRI: 80 **IP RATING:** IP 65 IP65 **IK RATING:**

IK 07

## **FINISHING:**

Sanded Bronze Sanded Dark Gray Sanded Black

#### **BUILT FOR THE STORM**


sales@gordonbullard.com www.bullardoutdoor.com 1-877-964-4646



991 South Gull Lake Dr Richland, MI 49083 USA



NOTES:			
PPOIECT NIAME:	PROJECT NAME:		





sales@gordonbullard.com www.bullardoutdoor.com 1-877-964-4646



CODE:

Example:

CODE: BO-LS-KPG-BL-XXX-XXX-XXX-XXX

BO-LS-KPG-BL-D9AKL4234A-K30-KAP7008-DIM-IB

## 1 MODELS:

# CODE -D9AKL4234A

# **DIMENSIONS:**

Diameter - Ø: 4.33" (11 cm)

Height - H: 11.81" (30 cm)

Base plate - Ø: 5.91" (15 cm)

#### CODE -D9AKM4234A

## **DIMENSIONS:**

 Diameter Ø: 4.33" (11 cm)

 Height H: 21.65" (55 cm)

 Base plate Ø: 5.91" (15 cm)

#### CODE -D9AKH4234A

## **DIMENSIONS:**

Diameter - Ø: 4.33" (11 cm) Height - H: 31.5" (80 cm) Base plate - Ø: 5.91" (15 cm)

# 2 LIGHT SOURCE:

LED / 8.6W / 73 mA / 450 lm / 110-277V

## 3 CCT OPTIONS:

-K30 3000K

-CUS Custom on request\*

#### 4 FINISH OPTIONS:

-KAP7008 Sanded Bronze -KAP7037 Sanded Dark Gray -RAL9005 Sanded Black

## 5 DIMMING OPTIONS:

-DIM 1-10V

**-PWM** Pulse Width Modulation


-DALI (Digital Addressable Lighting Interface)



991 South Gull Lake Dr Richland, MI 49083 USA



THOTES.		
Project name: Notes:		
FIXTURE TYPE:		



HOW TO ORDER: CODE:

Example:

7

CODE: BO-LS-KPG-BL-XXX-XXX-XXX-XXXX

BO-LS-KPG-BL-D9AKL4234A-K30-KAP7008-DIM-IB

6 INSTALLATION TYPE:


-SB Screw Base (included)
-IB Inground Base (optional)

-GAB Ground Anchor Base (optional)

PHOTOMATRIC INFO:







LED







sales@gordonbullard.com www.bullardoutdoor.com 1-877-964-4646



991 South Gull Lake Dr Richland, MI 49083 USA