



FIXTURE TYPE: _____

PROJECT NAME: _____



GENERAL INFORMATION:

The ROWAN Bollard by Bullard Outdoor offers a sleek, modern aesthetic paired with reliable outdoor performance. Constructed from die-cast aluminum with a durable powder-coated finish, it ensures long-term durability and corrosion resistance. Featuring a PMMA lens for even, glare-controlled illumination, this LED bollard operates on a universal 110–277V input. With a CRI of 80, IP65 weatherproof rating, and IK07 impact resistance, the ROWAN Bollard is ideal for pathways, landscapes, and architectural exteriors. Available in sanded bronze, dark gray, and black finishes.

FIXTURE TYPE:

Bollard

LIGHTING

LED

LED

VOLTAGE:

110-277V

110-277V

MATERIAL:

Die-casting powder coated aluminum

LENS:

PMMA

CRI:

80

IP RATING:

IP 65

IP65

IK RATING:

IK 07

FINISHING:

Sanded Bronze
Sanded Dark Gray
Sanded Black

BUILT FOR THE STORM

sales@gordonbullard.com

www.bullardoutdoor.com

1-877-964-4646



991 South Gull Lake Dr


Richland, MI 49083

USA

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



HOW TO ORDER:

CODE:

Example:
CODE: BO-RWN-KPG-BL-XXX-XXX-XXX-XXX

BO-RWN-KPG-BL-
D9EEL2434-K30-
KAP7008-DIM-IB

1

MODELS:

CODE -D9EEL2434

DIMENSIONS:

Diameter - Ø: 4.33" (11 cm)
Height - H: 11.81" (30 cm)
Base plate - Ø: 5.91" (15 cm)

CODE -D9EEM2434

DIMENSIONS:

Diameter - Ø: 4.33" (11 cm)
Height - H: 21.65" (55 cm)
Base plate - Ø: 5.91" (15 cm)

CODE -D9EEH2434

DIMENSIONS:

Diameter - Ø: 4.33" (11 cm)
Height - H: 31.5" (80 cm)
Base plate - Ø: 5.91" (15 cm)

2

LIGHT SOURCE:

LED / 6.7W / 95 mA / 79 lm / 110-277V

3

CCT OPTIONS:

-K30 3000K
-CUS Custom on request*

4

FINISH OPTIONS:

-KAP7008 Sanded Bronze
-KAP7037 Sanded Dark Gray
-RAL9005 Sanded Black

5

DIMMING OPTIONS:

-DIM 1-10V
-PWM Pulse Width Modulation
-DALI DALI (Digital Addressable Lighting Interface)

sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646




991 South Gull Lake Dr
Richland, MI 49083
USA

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



HOW TO ORDER:

CODE:

Example:

CODE: BO-RWN-KPG-BL-XXX-XXX-XXX-XXX-XXX

BO-RWN-KPG-BL-
D9EEL2434-K30-
KAP7008-DIM-IB

6

INSTALLATION TYPE:

- SB Screw Base (included)
- IB Inground Base (optional)
- GAB Ground Anchor Base (optional)

7

PHOTOMETRIC INFO:

