

FLICK
Recessed Wall Luminaires
Stair/Pathway Luminaires



FIXTURE TYPE: _____

PROJECT NAME: _____



GENERAL INFORMATION:

The FLICK Recessed Wall Luminaire by Bullard Outdoor is a compact and durable LED fixture designed for stairway and pathway lighting. Made from die-cast dark gray powder-coated aluminum with a precision glass lens, it operates on 110–277V and provides focused, efficient illumination. Engineered for long-lasting performance, FLICK features an IP65 weatherproof and IK10 impact-resistant rating. Available in round and square designs with Sanded Dark Gray, Sanded Black, and Sanded White finishes, it offers both style and reliability for modern architectural spaces.

FIXTURE TYPE:

Recessed Wall Luminaires - Stair/Pathway Luminaires

LIGHTING:

LED

LED

VOLTAGE:

110-277V



MATERIAL:

12# Die-casting dark grey powder coated aluminum

LENS:

Glass

BEAM ANGLE:

80°

RECESSED SLEEVE:

PC/ABS ALLOYS 035#

IP RATING:

IP 65

IK RATING:

IK 10

IP65

FINISHING:

Sanded Dark Gray
Sanded Black
Sanded White

sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646




991 South Gull Lake Dr
Richland, MI 49083
USA

FIXTURE TYPE: _____


PROJECT NAME: _____

NOTES:

-B1QR0102



-B1QS0102



HOW TO ORDER:

CODE:

Example:

CODE: BO-FLK-KPG-RWL-XXX-XXX-XXX-XXX-XXX-XX

BO-FLK-KPG-RWL-
B1QR0102-K30-
KAP7037-DIM

1

MODELS:

CODE -B1QR0102

DIMENSIONS:

Diameter - Ø: 3.15" (8 cm)

Depth - P: 2.35" (6 cm)

LIGHT SOURCE:

LED / 1 x 3W / 48 mA / 58 lm / 110-277V / CRI 80

CODE -B1QS0102

DIMENSIONS:

Length / Width- L/W: 3.15" (8 cm)

Depth - P: 2.35" (6 cm)

LIGHT SOURCE:

LED / 1 x 3W / 48 mA / 52 lm / 110-277V / CRI 80

2

CCT OPTIONS:

-K30 3000K

-CUS Custom on request*

3

FINISH OPTIONS:

-KAP7037 Sanded Dark Gray

-RAL 9005 Sanded Black

-RAL9003 Sanded White

4

DIMMING OPTIONS:


-DIM 1-10V

-PWM Pulse Width Modulation

-DALI DALI (Digital Addressable Lighting Interface)

5

RECESSED SLEEVE: (included)



sales@gordonbullard.com

www.bullardoutdoor.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



HOW TO ORDER:

CODE:

Example:

CODE: BO-FLK-KPG-RWL-XXX-XXX-XXX-XXX-XXX-XX

BO-FLK-KPG-RWL-
B1QR0102-K30-
KAP7037-DIM

6

FEATURES:




Front cover without screws

Use the high-strength clips for installation and fixation.(please refer remark 1)


7

DIAGRAM OF INSTRUCTION:



8

PHOTOMETRIC INFO:



sales@gordonbullard.com

www.bullardoutdoor.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA