

RAYZ
Spotlight - Garden Luminaires



FIXTURE TYPE: _____

PROJECT NAME: _____



LED

110-
277V



IP66

GENERAL INFORMATION:

The RAYZ Garden Spotlight by Bullard Outdoor is a sleek and durable LED luminaire designed for outdoor and landscape applications. Built from 12# die-cast aluminum with a tempered glass lens (T=3mm), it operates on 110–277V and delivers reliable, high-quality illumination with a CRI of 80. With IP66 and IK06 protection and a nickel-coated copper cable gland, RAYZ offers exceptional performance and longevity. Available in Sanded Bronze, Dark Gray, Black, and White finishes, it combines modern design with rugged outdoor durability.

FIXTURE TYPE:

Spotlight - Garden Luminaires

LIGHTING

LED

LED

VOLTAGE:

110-277V



MATERIAL:

12# Die-casting aluminum finishing

LENS:

Tempered glass.T=3mm

CRI:

80

IP RATING:

IP 66

IP66

IK RATING:

IK 06

FINISHING:

Sanded Bronze
Sanded Dark Gray
Sanded Black
Sanded White

CABLE GLAND:

Nickel coated copper

sales@gordonbullard.com

www.bullardoutdoor.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:

HOW TO ORDER:

CODE:

Example:

CODE: BO-RZ-KPG-SPT-XXX-XXX-XXX-XXX-XXX-XXX

BO-RZ-KPG-SPT-
B3ACX0158-K30-KAP7008-
DIM-B33-9-B-17B-B5001-
Mh021

1

MODELS:

CODE -B3ACX0158

DIMENSIONS:

Diameter - Ø: 3" (7.5 cm)

Height - H: 2.9" (7.3 cm)

Length - L: 3.55" (9 cm)

LIGHT SOURCE:

LED / 1 x 3W / 45 mA / 120 lm / 110-277V

CODE -B3ADX0127

DIMENSIONS:

Diameter - Ø: 2.35" (6 cm)

Height - H: 3.9" (10 cm)

Length - L: 4.13" (10.5 cm)

LIGHT SOURCE:

LED / 1 x 8W / 92 mA / 968 lm / 110-277V

CODE -B3AEX0169

DIMENSIONS:

Diameter - Ø: 2.95" (7.5 cm)

Height - H: 4.8" (12.2 cm)

Length - L: 5.1" (13 cm)

LIGHT SOURCE:

LED / 1 x 14W / 70 mA / 1689 lm / 110-277V

2

CCT OPTIONS:

-K30 3000K

-CUS Custom on request*

3

FINISH OPTIONS:


-KAP7008 Sanded Bronze

-KAP7037 Sanded Dark Gray


-RAL 9005 Sanded Black

-RAL9003 Sanded White


-B3ACX0158



-B3ADX0127



-B3AEX0169



LED

110-
277V



IP66

sales@gordonbullard.com

www.bullardoutdoor.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



HOW TO ORDER:

CODE:

Example:

CODE: BO-RZ-KPG-SPT-XXX-XXX-XXX-XXX-XXX-XXX

BO-RZ-KPG-SPT-
B3ACX0158-K30-KAP7008-
DIM-B33-9-B-18C-B5001-
Mh021

4

DIMMING OPTIONS:

- DIM 1-10V
- PWM Pulse Width Modulation
- DALI DALI (Digital Addressable Lighting Interface)

5


BEAM ANGLE:

available only for -B3ACX0158 model		available only for -B3ACX0158 model	
-B33-9	9°	-B73-30	30°
-B33-15	15°		
-B33-20	20°		
-B33-45	45°		
-B33-60	60°		
available only for -B3ADX0127 model		available only for -B3AEX0169 model	
-B71-15	15°	-B67-15	15°
-B71-24	24°	-B67-20	20°
-B71-33	33°	-B67-25	25°
-B71-45	45°	-B67-38	38°
-B71-60	60°	-B67-50	50°

6

WATER PROOF SOLUTION: (optional)

- A Water-Stopper(Included)**
A IP-66 water-stopper is added in the end of luminaires as standard assembly which is also an important system for water resistance.
- B IP67 Jiffy quick plug/socket connector(Optional)**
A IP-67 connector is as an optional assembly and ensures that water vapor will not enter into luminaires directly.



sales@gordonbullard.com
www.bullardoutdoor.com
1-877-964-4646



991 South Gull Lake Dr
Richland, MI 49083
USA

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



HOW TO ORDER:

CODE:

Example:

CODE: BO-RZ-KPG-SPT-XXX-XXX-XXX-XXX-XXX-XXX

BO-RZ-KPG-SPT-
B3ACX0158-K30-KAP7008-
DIM-B33-9-B-18C-BS001-
Mh021

7

ACCESSORIES:

SPIKE - PC-ABS alloys

-17B



-18C



-17B for B3AEX0169

-18C for B3ACX0158, B3ADX0127 models

SPIKE - STAINLESS STEEL

-13B



-12C



-12C for -B3ACX0158, -B3ADX0127 models

-13B for -B3AEX0169

ROUND SURFACE MOUNTING BASE

-BS001

-B3ACX0158



-BS002

-B3ADX0127



-BS003

-B3AEX0169



HOOD

-Mh021

-B3ACX0158



-Mh089

-B3ADX0127



-Mh090

-B3AEX0169



sales@gordonbullard.com

www.bullardoutdoor.com

1-877-964-4646



991 South Gull Lake Dr

Richland, MI 49083

USA

FIXTURE TYPE: _____

PROJECT NAME: _____

NOTES:



LED

110-277V

IP66

HOW TO ORDER:

CODE:

Example:
 CODE: BO-RZ-KPG-SPT-XXX-XXX-XXX-XXX-XXX-XXX

BO-RZ-KPG-SPT-
 B3ACX0158-K30-KAP7008-
 DIM-B33-9-B-18C-B5001-
 Mh021

7 ACCESSORIES:

HONEYCOMB LOUVER

- Mh021 -B3ACX0158
- Mh089 -B3ADX0127
- Mh090 -B3AEX0169




8 FEATURE:



Gear: The gear between the luminaire housing and the U bracket to prevent sliding.

9 PHOTOMETRIC INFO:



sales@gordonbullard.com
 www.bullardoutdoor.com
 1-877-964-4646



991 South Gull Lake Dr
 Richland, MI 49083
 USA